



Ambient Assisted Living

- Accessibility: Ambient awareness -

Seminar
Stefan Meißner
21.12.2007




- Motivation
- Feedback in AAL environments
- Ambient / Sound awareness
- Approaches
 - IC2Hear, CHIL (ITC-irst)
 - Nimio
 - IFeel2Hear, IFeel2Perceive?
- Summary
 - Next steps
 - Risks and opportunities



- People with certain disabilities
 - Impaired perception causes less feedback
 - Lack of some interpersonal interactions
 - hearing someone's shout
 - noticing if a person has entered the room
 - or no feedback at all
- People without disabilities
 - Even more feedback
 - Experiencing new ways of interaction
 - “Playing” with the ambience

Feedback in AAL environments



[Nehmer et al.:2006]






- Peripheral awareness
- Cognition or just awareness?
 - Low-key feedback
- Entropy and evaluation
 - Filtering / muting
 - Learning
 - Verbose mode?



Sound visualization

- Symbols / Icons
- Spectrograph





[Ho-Ching et al.:2003]



When? Where?

- History
- Map prototype



[Matthews et al.:2006]



Demo video of the CHIL Project


“In this demo, the classification is based on the input from a given microphone, while the location of the source is based on 14 microphones. The classification is based on Hidden Markov Models. Event accuracy is around 95%”

[shine.itc.it]



Head-up display metaphor

- event display within the user's field of vision
- attracting attention without distracting the user
- relative sound localization
- could display computer sounds as well, e.g. for
 - gaming
 - video clips





Motes - a different approach

Motes (sensor networks)

- low-power wireless sensing devices
- small / tiny
- ad-hoc network formation capability
- Technology (tmote sky)
 - IEEE 802.15.4 WPAN (ZigBee)
 - TinyOS Support
 - Integrated sensors
 - Humidity
 - Temperature
 - Light



moteiv tmote sky mote

[Tmote sky datasheet:2006]



Nimio


- Context-specific ambient display
 - Microphone
 - Movement detection
 - Different reaction
 - “Family group”
 - Interaction type
- Tangible interface
- Desktop toy



[Brewer et al.:2005]




- Uses moteiv telos sky “berkeley” motes
- Benefits
 - easy to set up
 - open-ended
 - may be decorative



[Brewer et al.:2005]



Scenario with Nimio





Vibration

- Major perception improvement for
 - deaf-blind people
 - deaf people
- Wearable, unobtrusive
 - cell phones
 - small gadgets




Bluetooth Vibrating Bracelet


[www.lm-technologies.com]



Goal: Ambient awareness motes

Scenario vision with an AAL-System





- Sound Visualization
 - Developing different prototypes
- Ambient Awareness
 - Determine requirements
 - hardware (motes, vibrating devices)
 - software (TinyOS, iROS)
- Evaluation with different audiences
 - Hearing impaired people
 - Deaf-blind people
 - People without disabilities



Risks and opportunities

- Moteiv motes
 - TinyOS, nesC
 - new hardware platform: Java (www.sentilla.com)
- iROS event heap
- Feasibility
 - hardware costs
- Acceptance


- » [Johanson and Fox:2002] B. Johanson and A. Fox: **The Event Heap: A Coordination Infrastructure for Interactive Workspaces**, 2002 - Proceedings of the 4th IEEE Workshop on Mobile Computer Systems and Applications (WMCSA-2002). 2002. Callicoon, New York, USA
- » [Tmote sky datasheet:2006] Sentilla (Moteiv Tmote): **Tmote Sky Datasheet**, 2006 - <http://www.sentilla.com/pdf/eol/tmote-sky-datasheet.pdf> (last accessed 2007-12-20)
- » [Ho-Ching et al.:2003] F. W. Ho-Ching, J. Mankoff and J. A. Landay: **From Data to Display: the Design and Evaluation of a Peripheral Sound Display for the Deaf**, 2003 - Proceedings of CHI 2003
- » [Matthews et al.:2005] T. Matthews, J. Fong and J. Mankoff: **Visualizing Non-Speech Sounds for the Deaf**, 2005 - Proceedings of ACM SIGACCESS conference on Computers and Accessibility (ASSETS). Baltimore, MD, pp. 52-59, 2005
- » [Matthews et al.:2006] T. Matthews, J. Fong, F. W. Ho-Ching and J. Mankoff: **Evaluating non-speech sound visualizations for the deaf**, 2006 - Behaviour & Information Technology, 25 (4). 333-351
- » [Brewer et al.:2005] J. Brewer, A. Williams and P. Dourish: **Nimio: An Ambient Awareness Device**, 2005 - Demonstration at the European Conference on Computer-Supported Cooperative Work (ECSCW). 18-22 September 2005, Paris, France
- » [Brewer et al.:2007] J. Brewer, A. Williams and P. Dourish: **A handle on what's going on: combining tangible interfaces and ambient displays for collaborative groups**, 2007 - Proceedings of the 1st International Conference on Tangible and Embedded Interaction 2007. pp. 3-10
- » [Nehmer et al.:2006] J. Nehmer, A. Karshmer, M. Becker and R. Lamm: **Living Assistance Systems – An Ambient Intelligence Approach**, 2006 - Proceedings of the 28th International Conference on Software Engineering (ICSE 2006), Shanghai, China, 2006

[www.xkcd.com]



Questions?

[www.nabaztag.com]



AAL	Ambient Assisted Living
CHIL	Computers in the Human Interaction Loop
HCI	Human Computer Interaction
iROS	Interactive Room Software
nesC	Programming language for deeply networked systems
TinyOS	Open-source operating system designed for wireless embedded sensor networks
WPAN	Wireless Personal Area Network